

MODELLING CONSTRUCTS OF SIMSCRIPT II.5®

Edward C. Russell

CACI
12011 San Vicente Boulevard
Los Angeles, CA 90049

This tutorial will present the highlights of the SIMSCRIPT II.5 approach to building discrete event simulation models. The approach will be to construct a small example problem, implement the program in SIMSCRIPT II.5, and then to display the modularity which is possible with SIMSCRIPT by adding several "real-world" complexities to the model.

1. BACKGROUND

Simulation languages are (or should be) more than extensions of general-purpose programming languages designed to ease the burden of programming simulation problems. The influence of a good simulation language should be felt during the specification and model design stages of simulation as well as during computer implementation. If the "world-view" of the simulation language is well understood, and if that world-view is appropriate for a given problem, then the language should aid immeasurably in reducing the effort (and consequently elapsed time) in transforming model from concept to realization.

2. SIMSCRIPT II.5 WORLD-VIEW

SIMSCRIPT is a discrete-event language (Figure 1.) Actions are modelled in terms of events. Sequences of events describing actions of a single object (or entity) are modelled as processes. Many important relationships are described dynamically in terms of entities-attributes-sets. This very powerful data structuring is one of the unique features of the language. The implementation in SIMSCRIPT of the classical simulation problems, such as small queueing models or job-shop simulations, have been described elsewhere (see References).

3. SIMSCRIPT II.5 IMPLEMENTATIONS

SIMSCRIPT II.5 has been implemented on seven different manufacturer's computers including IBM,

Honeywell, CDC, Univac, VAX, NCR, and PRIME. A major emphasis is to achieve portability of models from one machine to another since the type of models typically written in SIMSCRIPT have a fairly long lifetime and are often shared among a community of users with different computers.

4. SIMSCRIPT II.5 AVAILABILITY

SIMSCRIPT II.5 is the proprietary product of CACI and is available from them for lease or purchase. SIMSCRIPT is also available on Boeing Computer Services, Control Data-Cybernet, Service Bureau Corporation, and United Computing Services.

A university program is supported by CACI in which SIMSCRIPT is supplied to educational institutions for the cost of distribution.

5. THE TUTORIAL EXAMPLE

The tutorial is built around a simple queueing problem first presented in (SCHRIBER) and later revised in (FISHMAN 1978). An African Port consists of three docks serviced by a single tug (Figure 2). Ships which arrive to be loaded must use the tug to enter and leave the docks. The ships arrive according to an exponential distribution of inter-arrival times with a mean of eleven hours. The ships are of three sizes distributed as follows:

25% have a mean loading time of 18 hours
55% have a mean loading time of 24 hours
20% have a mean loading time of 36 hours

The times are all exponentially distributed about these means. The time for moving a ship into or out of a dock is also exponentially distributed with a mean of one hour. Ships queue for the tug and/or the dock on a first-come-first-served basis.

The first task is to model this existing situation and measure the utilization factors for the tug and the dock. In addition, the congestion in the harbor (queueing statistics for the tug and dock) are to be measured. Finally, statistics on the in-port time for the ships should be collected.

After this simple model is developed, the next phase is to superimpose a new category of tanker. These new tankers belong to a fixed size fleet. They have a mean loading time of 21 hours and require the same tug and dock services as the other tankers. When they leave the port, they make a round-trip to their destination in a mean time of ten days (again exponentially distributed). The same statistics should be reported as above in order to determine the impact of the new tankers on the port.

The next complication to be added to the model is the effect of external interruptions such as storms and smog. A storm serves to delay the arrival of ships and to detain them when ready to depart. Smog alerts cause the unloading of ships to be interrupted until the smog alert is lifted. Since storms and smog are fairly rare occurrences, these phenomena are to be represented as they actually occurred over some historical period.

Finally, in order to verify the correct execution of the model, the SIMSCRIPT tools for debugging will be added to the model.

The tutorial shall be comprised of a detailed walkthrough of the original model and a discussion of the evolution to the completed model in the following steps:

- 1) original simple model with only old tankers (Figure 3);
- 2) additions for statistical output (Figure 4);
- 3) additions for the new tankers; (Figure 5);
- 4) additions for storms and smog; (Figure 6);
- 5) additions for debug (Figure 7).

REFERENCES

Fishman, G.S., Principles of Discrete Event Simulation, Wiley-Interscience, New York, 1978.

Kiviat, P.J., H.M. Markowitz, and R. Villanueva, SIMSCRIPT II.5 Programming Language (edited by Alasdair Mullarney), CACI, Los Angeles, 1983.

Russell, E.C. and J.S. Annino, A Quick Look at SIMSCRIPT II.5, CACI, Los Angeles, 1983.

Russell, E.C., Building Simulation Models with SIMSCRIPT II.5, CACI, Los Angeles, 1983.

Schriber, T.J., Simulation Using GPSS, Wiley, New York, 1974.




FIGURE 1
THE TIMING ROUTINE




FIGURE 2
EXAMPLE PROBLEM

```

"          SIMSCRIPT II.5 TUTORIAL MODEL
"          AN AFRICAN PORT STUDY
PREAMBLE
  PROCESSES INCLUDE GENERATOR AND SHIP
  RESOURCES INCLUDE DOCK AND TUG
  THE SYSTEM HAS A LOADING.TIME RANDOM STEP VARIABLE
  DEFINE LOADING.TIME AS A REAL VARIABLE
  DEFINE .END.OF.SIMULATION TO MEAN REAL TIME.V >= 365.
END "PREAMBLE
MAIN
  READ LOADING.TIME
  CREATE EVERY DOCK(1)
  LET U.DOCK(1) = 3
  CREATE EVERY TUG(1)
  LET U.TUG(1) = 1
  ACTIVATE A GENERATOR NOW
  START SIMULATION
END "MAIN
INPUT DATA:
  0.25 18 0.55 24 0.2 36 *
PROCESS GENERATOR
  UNTIL .END.OF.SIMULATION,
  DO
    ACTIVATE A SHIP NOW
    WAIT EXPONENTIAL.F(11.0, 2) HOURS
  LOOP
  STOP
END "PROCESS GENERATOR
PROCESS SHIP
  REQUEST 1 DOCK(1)
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,3) HOURS
  RELINQUISH 1 TUG(1)
  WORK EXPONENTIAL.F(LOADING.TIME, 4) HOURS
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,5) HOURS
  RELINQUISH 1 TUG(1)
  RELINQUISH 1 DOCK(1)
END "PROCESS SHIP
    
```

FIGURE 3

```

"          SIMSCRIPT II.5 TUTORIAL MODEL
"          AN AFRICAN PORT STUDY
PREAMBLE
  PROCESSES INCLUDE GENERATOR AND SHIP
  RESOURCES INCLUDE DOCK AND TUG
  THE SYSTEM HAS A LOADING.TIME RANDOM STEP VARIABLE
  DEFINE LOADING.TIME AS A REAL VARIABLE
  ACCUMULATE AVG.DOCK.QUEUE AS THE AVERAGE OF N.Q.DOCK
  ACCUMULATE DOCK.UTILIZATION AS THE AVERAGE OF N.X.DOCK
  ACCUMULATE TUG.UTILIZATION AS THE AVERAGE OF N.X.TUG
  ACCUMULATE AVG.TUG.QUEUE AS THE AVERAGE OF N.Q.TUG
  TALLY AVG.IN.PORT.TIME AS THE AVERAGE
  AND NO.OF.SHIPS.SERVED AS THE NUMBER
  AND MAX.IN.PORT.TIME AS THE MAXIMUM OF IN.PORT.TIME
  DEFINE IN.PORT.TIME AS A REAL VARIABLE
  DEFINE .END.OF.SIMULATION TO MEAN TIME.V >= 365.
END "PREAMBLE
MAIN
  READ TYPE.DISTRIBUTION
  PRINT 1 LINE THUS
    AFRICAN PORT TANKER STUDY
  SKIP 1 LINE
  CREATE EVERY DOCK(1)
  LET U.DOCK(1) = 3
  CREATE EVERY TUG(1)
  LET U.TUG(1) = 1
  ACTIVATE A GENERATOR NOW
  START SIMULATION
END "MAIN
PROCESS GENERATOR
  UNTIL .END.OF.SIMULATION,
  DO
    ACTIVATE A SHIP NOW
    WAIT EXPONENTIAL.F(11.0, 2) HOURS
  LOOP
  SKIP 2 LINES
  PRINT 11 LINES WITH TIME.V, NO.OF.SHIPS.SERVED,
    AVG.IN.PORT.TIME, MAX.IN.PORT.TIME,
    DOCK.UTILIZATION(1)/3, AVG.DOCK.QUEUE(1),
    TUG.UTILIZATION(1) AND AVG.TUG.QUEUE(1) THUS
    AFTER *.* DAYS
    * SHIPS HAVE BEEN LOADED.
    THE AVERAGE IN-PORT TIME FOR A SHIP WAS *.* HOURS.
    THE MAXIMUM IN-PORT TIME FOR A SHIP WAS *.* HOURS.
    THE DOCK UTILIZATION WAS *.* (X 100%)
    THE AVERAGE QUEUE FOR THE DOCK WAS *.* SHIPS
    THE TUG UTILIZATION WAS *.* (X 100%)
    THE AVERAGE QUEUE FOR THE TUG WAS *.* SHIPS
  STOP
END "PROCESS GENERATOR
PROCESS SHIP
  DEFINE ARRIVAL.TIME AS A REAL VARIABLE
  LET ARRIVAL.TIME = TIME.V
  REQUEST 1 DOCK(1)
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,3) HOURS
  RELINQUISH 1 TUG(1)
  WORK EXPONENTIAL.F(LOADING.TIME,4) HOURS
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,5) HOURS
  RELINQUISH 1 TUG(1)
  RELINQUISH 1 DOCK(1)
  LET IN.PORT.TIME = (TIME.V - ARRIVAL.TIME) * HOURS.V
END "PROCESS SHIP
    AFRICAN PORT TANKER STUDY
    AFTER 365.02 DAYS
    803 SHIPS HAVE BEEN LOADED.
    THE AVERAGE IN-PORT TIME FOR A SHIP WAS 45.24 HOURS.
    THE MAXIMUM IN-PORT TIME FOR A SHIP WAS 206.28 HOURS.
    THE DOCK UTILIZATION WAS .77 (X 100%)
    THE AVERAGE QUEUE FOR THE DOCK WAS 1.82 SHIPS
    THE TUG UTILIZATION WAS .19 (X 100%)
    THE AVERAGE QUEUE FOR THE TUG WAS .03 SHIPS
    
```

FIGURE 4

```

"          SIMSCRIPT II.5 TUTORIAL MODEL
"          AN AFRICAN PORT STUDY
PREAMBLE
PROCESSES INCLUDE GENERATOR AND SHIP
  EVERY SHIP HAS A TYPE
  DEFINE TYPE AS AN ALPHA VARIABLE
RESOURCES INCLUDE DOCK AND TUG
DEFINE NO.NEW.SHIPS AS AN INTEGER VARIABLE
THE SYSTEM HAS A LOADING.TIME RANDOM STEP VARIABLE
DEFINE LOADING.TIME AS A REAL VARIABLE
ACCUMULATE AVG.DOCK.QUEUE AS THE AVERAGE OF N.Q.DOCK
ACCUMULATE DOCK.UTILIZATION AS THE AVERAGE OF N.X.DOCK
ACCUMULATE TUG.UTILIZATION AS THE AVERAGE OF N.X.TUG
ACCUMULATE AVG.TUG.QUEUE AS THE AVERAGE OF N.Q.TUG
TALLY AVG.IN.PORT.TIME AS THE AVERAGE
  AND NO.OF.SHIPS.SERVED AS THE NUMBER
  AND MAX.IN.PORT.TIME AS THE MAXIMUM OF IN.PORT.TIME
DEFINE IN.PORT.TIME AS A REAL VARIABLE
DEFINE .END.OF.SIMULATION TO MEAN TIME.V >= .365.
END "PREAMBLE

MAIN
  READ LOADING.TIME
  PRINT 1 LINE THUS
    AFRICAN PORT TANKER STUDY
  SKIP 1 LINE
  READ NO.NEW.SHIPS
  PRINT 1 LINE WITH NO.NEW.SHIPS THUS
    NO. OF NEWS SHIPS IS *.
  SKIP 1 LINE
  CREATE EVERY DOCK(1)
  LET U.DOCK(1) = 3
  CREATE EVERY TUG(1)
  LET U.TUG(1) = 1
  ACTIVATE A GENERATOR NOW
  START SIMULATION
END "MAIN

INPUT DATA:
  5
  0.25 18 0.55 24 0.2 36 *

PROCESS GENERATOR
DEFINE I AS AN INTEGER VARIABLE
FOR I = 1 TO NO.NEW.SHIPS,
DO
  ACTIVATE A SHIP IN 2 * I DAYS
  LET TYPE(SHIP) = "NEW"
LOOP
UNTIL .END.OF.SIMULATION,
DO
  ACTIVATE A SHIP NOW
  LET TYPE(SHIP) = "OLD"
  WAIT EXPONENTIAL.F(11.0, 2) HOURS
LOOP
SKIP 2 LINES
PRINT 11 LINES WITH TIME.V, NO.OF.SHIPS.SERVED,
  AVG.IN.PORT.TIME, MAX.IN.PORT.TIME,
  DOCK.UTILIZATION(1)/3, AVG.DOCK.QUEUE(1),
  TUG.UTILIZATION(1) AND AVG.TUG.QUEUE(1) THUS
  AFTER **.** DAYS
  * SHIPS HAVE BEEN LOADED.
  THE AVERAGE IN-PORT TIME FOR A SHIP WAS *.* HOURS.
  THE MAXIMUM IN-PORT TIME FOR A SHIP WAS *.* HOURS.
  THE DOCK UTILIZATION WAS *.* (X 100%)
  THE AVERAGE QUEUE FOR THE DOCK WAS *.* SHIPS
  THE TUG UTILIZATION WAS *.* (X 100%)
  THE AVERAGE QUEUE FOR THE TUG WAS *.* SHIPS
STOP
END "PROCESS GENERATOR

PROCESS SHIP
DEFINE ARRIVAL.TIME AS A REAL VARIABLE
DEFINE MEAN.LOAD.TIME AS A REAL VARIABLE
IF TYPE(SHIP) = "OLD"
  LET MEAN.LOAD.TIME = LOADING.TIME
ELSE
  LET MEAN.LOAD.TIME = 21
ALWAYS
UNTIL .END.OF.SIMULATION
DO
  LET ARRIVAL.TIME = TIME.V
  REQUEST 1 DOCK(1)
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,3) HOURS
  RELINQUISH 1 TUG(1)
  WORK EXPONENTIAL.F(MEAN.LOAD.TIME,4) HOURS
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,5) HOURS
  RELINQUISH 1 TUG(1)
  RELINQUISH 1 DOCK(1)
  LET IN.PORT.TIME = (TIME.V - ARRIVAL.TIME) * HOURS.V
  IF TYPE(SHIP) = "OLD"
    LEAVE
  ELSE
    WAIT EXPONENTIAL.F(240.0,6) HOURS
LOOP
END "PROCESS SHIP

AFRICAN PORT TANKER STUDY
NO. OF NEW SHIPS IS 5.
AFTER 365.02 DAYS
908 SHIPS HAVE BEEN LOADED.
THE AVERAGE IN-PORT TIME FOR A SHIP WAS 137.69 HOURS.
THE MAXIMUM IN-PORT TIME FOR A SHIP WAS 464.80 HOURS.
THE DOCK UTILIZATION WAS .95 (X 100%)
THE AVERAGE QUEUE FOR THE DOCK WAS 11.64 SHIPS
THE TUG UTILIZATION WAS .21 (X 100%)
THE AVERAGE QUEUE FOR THE TUG WAS .03 SHIPS

```

FIGURE 5

```

"      SIMSCRIPT II.5 TUTORIAL MODEL
"      AN AFRICAN PORT STUDY

PREAMBLE
PROCESSES INCLUDE GENERATOR AND SHIP
  EVERY SHIP HAS A TYPE
  AND A SHIP.STATUS
  AND BELONGS TO THE FLEET
  DEFINE TYPE AS AN ALPHA VARIABLE
  DEFINE SHIP.STATUS AS AN ALPHA VARIABLE
  EXTERNAL PROCESSES ARE SMOG AND STORM
  EXTERNAL EVENT UNIT IS 7
RESOURCES INCLUDE DOCK AND TUG
  AND PERMIT
DEFINE NO.NEW.SHIPS AS AN INTEGER VARIABLE
THE SYSTEM HAS A LOADING.TIME RANDOM STEP VARIABLE
  AND OWNS THE FLEET
DEFINE LOADING.TIME AS A REAL VARIABLE
ACCUMULATE AVG.DOCK.QUEUE AS THE AVERAGE OF N.Q.DOCK
ACCUMULATE DOCK.UTILIZATION AS THE AVERAGE OF N.X.DOCK
ACCUMULATE TUG.UTILIZATION AS THE AVERAGE OF N.X.TUG
ACCUMULATE AVG.TUG.QUEUE AS THE AVERAGE OF N.Q.TUG
TALLY AVG.IN.PORT.TIME AS THE AVERAGE
  AND NO.OF.SHIPS.SERVED AS THE NUMBER
  AND MAX.IN.PORT.TIME AS THE MAXIMUM OF IN.PORT.TIME
DEFINE IN.PORT.TIME AS A REAL VARIABLE
DEFINE .DEPART TO MEAN 1
DEFINE .UNLOAD TO MEAN 2
DEFINE .END.OF.SIMULATION TO MEAN TIME.V >= 365.
END "PREAMBLE

MAIN
CALL ORIGIN.R(1,1,80)
READ LOADING.TIME
PRINT 1 LINE THUS
      AFRICAN PORT TANKER STUDY
SKIP 1 LINE
READ NO.NEW.SHIPS
PRINT 1 LINE WITH NO.NEW.SHIPS THUS
      NO. OF NEWS SHIPS IS ".
SKIP 1 LINE
CREATE EVERY DOCK(1)
LET U.DOCK(1) = 3
CREATE EVERY TUG(1)
LET U.TUG(1) = 1
CREATE EVERY PERMIT(2)
LET U.PERMIT(UNLOAD) = 1
LET U.PERMIT(DEPART) = 1
ACTIVATE A GENERATOR NOW
START SIMULATION
END "MAIN

INPUT DATA:
5
0.25 18 0.55 24 0.2 36 *

PROCESS GENERATOR
DEFINE I AS AN INTEGER VARIABLE
FOR I = 1 TO NO.NEW.SHIPS,
DO
  ACTIVATE A SHIP IN 2 * I DAYS
  LET TYPE(SHIP) = "NEW"
  LET SHIP.STATUS(SHIP) = "AT.SEA"
  FILE SHIP IN FLEET
LOOP
UNTIL .END.OF.SIMULATION,
DO
  ACTIVATE A SHIP NOW
  LET TYPE(SHIP) = "OLD"
  LET SHIP.STATUS(SHIP) = "AT.SEA"
  FILE SHIP IN FLEET
  WAIT EXPONENTIAL.F(11.0, 2) HOURS
LOOP
SKIP 2 LINES
PRINT 11 LINES WITH TIME.V, NO.OF.SHIPS.SERVED,
AVG.IN.PORT.TIME, MAX.IN.PORT.TIME,
DOCK.UTILIZATION(1)/3, AVG.DOCK.QUEUE(1),
TUG.UTILIZATION(1) AND AVG.TUG.QUEUE(1) THUS
  AFTER **. ** DAYS
  * SHIPS HAVE BEEN LOADED.
  THE AVERAGE IN-PORT TIME FOR A SHIP WAS **. ** HOURS.
  THE MAXIMUM IN-PORT TIME FOR A SHIP WAS **. ** HOURS.
  THE DOCK UTILIZATION WAS **. ** (X 100% )
  THE AVERAGE QUEUE FOR THE DOCK WAS **. ** SHIPS
  THE TUG UTILIZATION WAS **. ** (X 100% )
  THE AVERAGE QUEUE FOR THE TUG WAS **. ** SHIPS
STOP
END "PROCESS GENERATOR

PROCESS SHIP
DEFINE ARRIVAL.TIME AS A REAL VARIABLE
DEFINE MEAN.LOAD.TIME AS A REAL VARIABLE
IF TYPE(SHIP) = "OLD"
  LET MEAN.LOAD.TIME = LOADING.TIME
ELSE
  LET MEAN.LOAD.TIME = 21
ALWAYS
UNTIL .END.OF.SIMULATION
DO
  LET ARRIVAL.TIME = TIME.V
  LET SHIP.STATUS(SHIP) = "IN.HARBOR"
  REQUEST 1 DOCK(1)
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,3) HOURS
  RELINQUISH 1 TUG(1)
  REQUEST 1 PERMIT(UNLOAD)
  RELINQUISH 1 PERMIT(UNLOAD)
  LET SHIP.STATUS(SHIP) = "UNLOADING"
  WORK EXPONENTIAL.F(MEAN.LOAD.TIME,4) HOURS
  LET SHIP.STATUS(SHIP) = "IN.HARBOR"
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,5) HOURS
  RELINQUISH 1 TUG(1)
  RELINQUISH 1 DOCK(1)
  REQUEST 1 PERMIT(DEPART)
  RELINQUISH 1 PERMIT(DEPART)
  LET IN.PORT.TIME = (TIME.V - ARRIVAL.TIME) * HOURS V
  IF TYPE(SHIP) = "OLD"
    REMOVE THIS SHIP FROM FLEET
    LEAVE
  ELSE
    LET SHIP.STATUS(SHIP) = "AT.SEA"
    WAIT EXPONENTIAL.F(240.0,6) HOURS
LOOP
END "PROCESS SHIP

PROCESS STORM
DEFINE DURATION AS A REAL VARIABLE
READ DURATION
REQUEST 1 PERMIT(DEPART) WITH PRIORITY 1
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "AT.SEA"
  INTERRUPT SHIP
WAIT DURATION DAYS
RELINQUISH 1 PERMIT(DEPART)
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "AT.SEA"
  RESUME SHIP
END "STORM

PROCESS SMOG
DEFINE DURATION AS A REAL VARIABLE
READ DURATION
REQUEST 1 PERMIT(UNLOAD) WITH PRIORITY 1
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "UNLOADING"
  INTERRUPT SHIP
WAIT DURATION DAYS
RELINQUISH 1 PERMIT(UNLOAD)
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "UNLOADING"
  RESUME SHIP
END "SMOG

      AFRICAN PORT TANKER STUDY
      NO. OF NEW SHIPS IS 5.
      AFTER 365.02 DAYS
828 SHIPS HAVE BEEN LOADED.
THE AVERAGE IN-PORT TIME FOR A SHIP WAS 112.49 HOURS.
THE MAXIMUM IN-PORT TIME FOR A SHIP WAS 461.69 HOURS.
THE DOCK UTILIZATION WAS .95 (X 100 % )
THE AVERAGE QUEUE FOR THE DOCK WAS 9.12 SHIPS
THE TUG UTILIZATION WAS .22 (X 100 % )
THE AVERAGE QUEUE FOR THE TUG WAS .04 SHIPS

```

FIGURE 6

```

SIMSCRIPT II.5 TUTORIAL MODEL
AN AFRICAN PORT STUDY

PREAMBLE
PROCESSES INCLUDE GENERATOR AND SHIP
EVERY SHIP HAS A TYPE
AND A SHIP.STATUS
AND A SHIP.ID
AND BELONGS TO THE FLEET
DEFINE TYPE AS AN ALPHA VARIABLE
DEFINE SHIP.STATUS AS AN ALPHA VARIABLE
DEFINE SHIP.ID AS AN INTEGER VARIABLE
EXTERNAL PROCESSES ARE SMOG AND STORM
EXTERNAL EVENT UNIT IS 7

RESOURCES INCLUDE DOCK AND TUG
AND PERMIT
DEFINE NO.NEW.SHIPS AS AN INTEGER VARIABLE
THE SYSTEM HAS A LOADING.TIME RANDOM STEP VARIABLE
AND OWNS THE FLEET
DEFINE LOADING.TIME AS A REAL VARIABLE
ACCUMULATE AVG.DOCK.QUEUE AS THE AVERAGE OF N.Q.DOCK
ACCUMULATE DOCK.UTILIZATION AS THE AVERAGE OF N.X.DOCK
ACCUMULATE TUG.UTILIZATION AS THE AVERAGE OF N.X.TUG
ACCUMULATE AVG.TUG.QUEUE AS THE AVERAGE OF N.Q.TUG
TALLY AVG.IN.PORT.TIME AS THE AVERAGE
AND NO.OF.SHIPS.SERVED AS THE NUMBER
AND MAX.IN.PORT.TIME AS THE MAXIMUM OF IN.PORT.TIME
DEFINE IN.PORT.TIME AS A REAL VARIABLE
DEFINE DEPART TO MEAN 1
DEFINE UNLOAD TO MEAN 2
DEFINE .END.OF.SIMULATION TO MEAN TIME.V >= 365.

END "PREAMBLE

MAIN
LET BETWEEN.V = 'DETAIL'
CALL ORIGIN.R(1,1,80)
READ TYPE.DISTRIBUTION
PRINT 1 LINE THUS
      AFRICAN PORT TANKER STUDY

SKIP 1 LINE
READ NO.NEW.SHIPS
PRINT 1 LINE WITH NO.NEW.SHIPS THUS
      NO. OF NEWS SHIPS IS *.

SKIP 1 LINE
CREATE EVERY DOCK(1)
LET U.DOCK(1) = 3
CREATE EVERY TUG(1)
LET U.TUG(1) = 1
CREATE EVERY PERMIT(2)
LET U.PERMIT(UNLOAD) = 1
LET U.PERMIT(DEPART) = 1
ACTIVATE A GENERATOR NOW
START SIMULATION

END "MAIN

INPUT DATA:
5
0.25 18 0.55 24 0.2 36 *

PROCESS GENERATOR
DEFINE I AS AN INTEGER VARIABLE
DEFINE SHIP.COUNT AS AN INTEGER, SAVED VARIABLE
FOR I = 1 TO NO.NEW.SHIPS,
DO
  ACTIVATE A SHIP IN 2 * I DAYS
  LET TYPE(SHIP) = "NEW"
  LET SHIP.STATUS(SHIP) = "AT.SEA"
  ADD 1 TO SHIP.COUNT
  LET SHIP.ID(SHIP) = SHIP.COUNT
  FILE SHIP IN FLEET
LOOP
UNTIL .END.OF.SIMULATION,
DO
  ACTIVATE A SHIP NOW
  LET TYPE(SHIP) = "OLD"
  LET SHIP.STATUS(SHIP) = "AT.SEA"
  ADD 1 TO SHIP.COUNT
  LET SHIP.ID(SHIP) = SHIP.COUNT
  FILE SHIP IN FLEET
  WAIT EXPONENTIAL.F(11.0, 2) HOURS
LOOP
SKIP 2 LINES
PRINT 11 LINES WITH TIME.V, NO.OF.SHIPS.SERVED,
AVG.IN.PORT.TIME, MAX.IN.PORT.TIME,
DOCK.UTILIZATION(1)3, AVG.DOCK.QUEUE(1),
TUG.UTILIZATION(1) AND AVG.TUG.QUEUE(1) THUS
AFTER *** DAYS
  * SHIPS HAVE BEEN LOADED.
  THE AVERAGE IN-PORT TIME FOR A SHIP WAS *** HOURS.
  THE MAXIMUM IN-PORT TIME FOR A SHIP WAS *** HOURS.
  THE DOCK UTILIZATION WAS *** (X 100%)
  THE AVERAGE QUEUE FOR THE DOCK WAS *** SHIPS
  THE TUG UTILIZATION WAS *** (X 100%)
  THE AVERAGE QUEUE FOR THE TUG WAS *** SHIPS
STOP
END "PROCESS GENERATOR

PROCESS SHIP
DEFINE ARRIVAL.TIME AS A REAL VARIABLE
DEFINE MEAN.LOAD.TIME AS A REAL VARIABLE
IF TYPE(SHIP) = "OLD"
  LET MEAN.LOAD.TIME = LOADING.TIME
ELSE
  LET MEAN.LOAD.TIME = 21
ALWAYS
UNTIL .END.OF.SIMULATION
DO
  LET ARRIVAL.TIME = TIME.V
  LET SHIP.STATUS(SHIP) = "IN.HARBOR"
  REQUEST 1 DOCK(1)
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,3) HOURS
  RELINQUISH 1 TUG(1)
  REQUEST 1 PERMIT(UNLOAD)
  RELINQUISH 1 PERMIT(UNLOAD)
  LET SHIP.STATUS(SHIP) = "UNLOADING"
  WORK EXPONENTIAL.F(MEAN.LOAD.TIME,4) HOURS
  LET SHIP.STATUS(SHIP) = "IN.HARBOR"
  REQUEST 1 TUG(1)
  WAIT EXPONENTIAL.F(1.0,5) HOURS
  RELINQUISH 1 TUG(1)
  RELINQUISH 1 DOCK(1)
  REQUEST 1 PERMIT(DEPART)
  RELINQUISH 1 PERMIT(DEPART)
  LET IN.PORT.TIME = (TIME.V - ARRIVAL.TIME) * HOURS V
  IF TYPE(SHIP) = "OLD"
    REMOVE THIS SHIP FROM FLEET
    LEAVE
  ELSE
    LET SHIP.STATUS(SHIP) = "AT.SEA"
    WAIT EXPONENTIAL.F(240.0,6) HOURS
  LOOP
END "PROCESS SHIP

PROCESS STORM
DEFINE DURATION AS A REAL VARIABLE
READ DURATION
REQUEST 1 PERMIT(DEPART) WITH PRIORITY 1
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "AT.SEA"
  INTERRUPT SHIP
  WAIT DURATION DAYS
  RELINQUISH 1 PERMIT(DEPART)
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "AT.SEA"
  RESUME SHIP
END "STORM

PROCESS SMOG
DEFINE DURATION AS A REAL VARIABLE
READ DURATION
REQUEST 1 PERMIT(UNLOAD) WITH PRIORITY 1
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "UNLOADING"
  INTERRUPT SHIP
  WAIT DURATION DAYS
  RELINQUISH 1 PERMIT(UNLOAD)
FOR EACH SHIP IN FLEET,
  WITH SHIP.STATUS(SHIP) = "UNLOADING"
  RESUME SHIP
END "SMOG

ROUTINE DETAIL
DEFINE LINE.COUNT AS AN INTEGER, SAVED VARIABLE
ADD 1 TO LINE.COUNT
IF LINE.COUNT = 25,
  LET BETWEEN.V = 0
ALWAYS
IF EVENT.V = I.SHIP
  PRINT 1 LINE WITH TIME.V, N.Q.DOCK(1), N.Q.TUG(1), N.X.DOCK(1),
  N.X.TUG(1), U.DOCK(1) THUS
  AT TIME *** ** N.Q.DOCK = * N.Q.TUG = * IN-DOCK = * IN-TUG = * FREE DOCKS *
  PRINT 1 LINE WITH SHIP.ID(SHIP), TYPE(SHIP) AND LINE.F(SHIP) THUS
  SHIP ***** (TYPE ***) WILL RESUME AT LINE * .
  RETURN
  OTHERWISE
  IF EVENT.V = I.SMOG,
    PRINT 1 LINE WITH LINE.F(SMOG) AND TIME.V THUS
  SMOG PROCESS RESUMING ON LINE * AT TIME ***.**,
  RETURN
  OTHERWISE
  IF EVENT.V = I.STORM,
    PRINT 1 LINE WITH LINE.F(STORM) AND TIME.V THUS
  STORM PROCESS RESUMING ON LINE * AT TIME ***.**,
  RETURN
  OTHERWISE
  END "ROUTINE DETAIL

```

FIGURE 7

```

ROUTINE FOR SNAP.R
START NEW PAGE
PRINT 1 LINE THUS
GLOBAL CONDITIONS AT SNAP
SKIP 2 LINES
FOR EACH SHIP IN THE FLEET,
  PRINT 1 LINE WITH SHIP.ID(SHIP) AND TYPE(SHIP) AND LINE.F(SHIP) THUS
SHIP ***** (TYPE ***) IS AWAITING EXECUTION OF LINE * .
SKIP 2 LINES
PRINT 3 LINES WITH U.DOCK(1), N.X.DOCK(1) AND N.Q.DOCK(1) THUS
THERE ARE * FREE DOCKS
THERE ARE * DOCKS IN USE
AND * SHIPS IN THE DOCK QUEUE.
SKIP 2 LINES
PRINT 3 LINES WITH U.TUG(1), N.X.TUG(1) AND N.Q.TUG(1) THUS
THERE ARE * FREE TUGS
THERE ARE * TUGS IN USE
AND * SHIPS IN THE TUG QUEUE.
SKIP 2 LINES
END "SNAP.R

```

AFRICAN PORT TANKER STUDY
NO. OF NEW SHIPS IS 5.

```

AT TIME 0. N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 0 IN-TUG= 0 FREE DOCKS 3
SHIP 6 (TYPE OLD) WILL RESUME AT LINE 1.
AT TIME .03 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 1 IN-TUG= 0 FREE DOCKS 2
SHIP 6 (TYPE OLD) WILL RESUME AT LINE 16.
STORM PROCESS RESUMING ON LINE 1 AT TIME .33.
SMOG PROCESS RESUMING ON LINE 1 AT TIME .50.
AT TIME .77 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 1 IN-TUG= 0 FREE DOCKS 2
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 1.
AT TIME .81 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 1 FREE DOCKS 1
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 16.
SMOG PROCESS RESUMING ON LINE 9 AT TIME 1.00.
AT TIME 1.00 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 0 FREE DOCKS 1
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 16.
AT TIME 1.23 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 0 FREE DOCKS 1
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 21.
AT TIME 1.24 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 1 FREE DOCKS 1
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 24.
AT TIME 1.55 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 1 IN-TUG= 0 FREE DOCKS 2
SHIP 8 (TYPE OLD) WILL RESUME AT LINE 1.
AT TIME 1.56 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 1 FREE DOCKS 1
SHIP 8 (TYPE OLD) WILL RESUME AT LINE 16.
AT TIME 1.61 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 0 FREE DOCKS 1
SHIP 9 (TYPE OLD) WILL RESUME AT LINE 1.
AT TIME 1.64 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 3 IN-TUG= 1 FREE DOCKS 0
SHIP 9 (TYPE OLD) WILL RESUME AT LINE 16.
AT TIME 1.81 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 3 IN-TUG= 0 FREE DOCKS 0
SHIP 9 (TYPE OLD) WILL RESUME AT LINE 21.
AT TIME 1.84 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 3 IN-TUG= 1 FREE DOCKS 0
SHIP 9 (TYPE OLD) WILL RESUME AT LINE 24.
AT TIME 2.26 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 0 FREE DOCKS 1
SHIP 8 (TYPE OLD) WILL RESUME AT LINE 21.
AT TIME 2.26 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 2 IN-TUG= 1 FREE DOCKS 1
SHIP 8 (TYPE OLD) WILL RESUME AT LINE 24.
STORM PROCESS RESUMING ON LINE 9 AT TIME 2.33.
AT TIME 2.33 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 1 IN-TUG= 0 FREE DOCKS 2
SHIP 7 (TYPE OLD) WILL RESUME AT LINE 27.
AT TIME 2.33 N.Q.DOCK= 0 N.Q.TUG= 0 IN-DOCK= 1 IN-TUG= 0 FREE DOCKS 2
SHIP 9 (TYPE OLD) WILL RESUME AT LINE 27.

```

AFTER 365.02 DAYS

```

928 SHIPS HAVE BEEN LOADED.
THE AVERAGE IN-PORT TIME FOR A SHIP WAS 112.49 HOURS.
THE MAXIMUM IN-PORT TIME FOR A SHIP WAS 461.69 HOURS.
THE DOCK UTILIZATION WAS .95 (X 100 %)
THE AVERAGE QUEUE FOR THE DOCK WAS 9.12 SHIPS
THE TUG UTILIZATION WAS .22 (X 100 %)
THE AVERAGE QUEUE FOR THE TUG WAS .04 SHIPS

```

FIGURE 7
(Continued)