

INTRODUCTORY TUTORIAL: AGENT-BASED MODELING AND SIMULATION

Charles Macal
Michael North

Argonne National Laboratory
9700 South Cass Avenue
Argonne, IL 60439, USA

ABSTRACT

Agent-based simulation (ABS) is an approach to modeling systems comprised of individual, autonomous, interacting “agents.” Agent-based modeling offers ways to more easily model individual behaviors and how behaviors affect others in ways that have not been available before. There is much interest in developing agent-based models for many application problem domains. Applications range from modeling agent behavior in supply chains and the stock market, to predicting the success of marketing campaigns and the spread of epidemics, to projecting the future needs of the healthcare system. Progress in the area suggests that ABS promises to have far-reaching effects on the way that businesses use computers to support decision-making and researchers use agent-based models as electronic laboratories to aid in discovery. This brief tutorial introduces agent-based modeling and simulation by describing the basic ideas of ABS, discussing some applications, and addressing methods for developing agent-based models.

1 INTRODUCTION

Agent-based simulation (ABS), or agent-based modeling (ABM), is a modeling and computational framework for simulating dynamic processes that involve autonomous agents. An autonomous agent acts on its own without external direction in response to situations the agent encounters during the simulation. Modeling a population of autonomous agents, each with its own characteristics and behaviors, that extensively interact is a defining feature of an ABS. Agent-based simulation is most commonly used to model individual decision-making and social and organizational behavior (Bonabeau 2001). These notions of behavior, decision-making, and interaction apply to modeling many kinds of system. An agent is a general concept having broad applicability. Agents often represent people, or groups of people. Agent relationships represent processes of social interaction (Gilbert and Troitzsch 2005). For example, an individual’s daily activities are explicitly modeled in an ABS of infectious disease transmission to understand transmission patterns arising from contact with other individuals. In a supply chain ABS, agents are firms with decision-making behaviors about material sourcing and ordering, stocking, shipping, capacity expansion, etc. In an ABS composed of artificial agents, collaborating robots search the landscape and communicate their findings to collectively accomplish a task. The development of agent-based modeling tools, the availability of micro-data on agent transactions and interactions, and advances in computation have made possible a growing number of ABS applications across a variety of domains and disciplines.

ABS has gained increasing attention over the past several years as evidenced by the increasing numbers of articles appearing in modeling and applications journals, funded programs that call for agent-based models incorporating elements of human and social behavior, the demand for ABS courses and instructional programs, and the growing number of conferences that feature agent-based modeling, such as the Winter Simulation Conference (WSC). Interest in ABS has steadily grown at the WSC since the first ABS tutorial we presented in 2005 (Macal and North 2005). Agent-based modeling began as the computational arm of the field of “artificial life,” which is concerned with the emergence of order in nature, with the development of Swarm, the first agent-based modeling toolkit some 20 years ago (Macal 2009). Previous to that, the field of cellular automata gave the form, time and state advance mechanisms to many of the original agent-based simulations. ABS originated and developed quite independently of traditional Monte Carlo and discrete event simulation (DES). We refer the reader to previous papers on other introductory topics in ABS not covered here, such as the history of ABS and the relationships of ABS to other modeling and simulation techniques (Macal, North, and Samuelson 2013; Heath and Hill 2010; Macal and North 2010; Heath, Hill, and Ciarallo 2009).

Agent-based modeling is being applied to many areas, spanning human social, behavioral, cultural, physical and biological systems. Applications range from modeling ancient civilizations that have been gone for hundreds of years, to designing new markets for products that do not exist right now. Heath, Hill and Ciarallo (2009) provide a review of agent-based modeling applications. Selected applications and overview papers are listed in Table 1. All of the cited publications make the case for agent-based modeling as the preferred modeling approach for the problems addressed. These authors argue that agent-based modeling is used because only agent-based models can explicitly incorporate the complexity arising from individual behaviors and interactions that exist in the real-world.

This tutorial provides an introduction to agent-based modeling and simulation. The goals are to show that ABS is: *Useful*: Why ABS is an appropriate modeling approach for a large class of problems and has advantages over conventional modeling approaches in many cases, *Usable*: How ABS is advancing to the point of producing portable, extensible, and transferable software, with better integrated development environments, and *Used*: How ABS applications are being developed to solve practical problems. This tutorial is organized as follows. The first part of the paper (Sections 2 and 3) is on how to *think* about ABS. The second part is on how to *do* ABS. Section 4 is a practical guide on how to get started in ABS, and Section 5 considers when it is appropriate to use ABS.

2 HOW TO THINK ABOUT AGENT-BASED MODELING

2.1 Structure of an agent-based model

A typical agent-based model has three elements:

- *Agents*, their attributes and behaviors.
- *Agent relationships* and methods of interaction. An underlying topology of connectedness defines how and with whom agents interact.
- *Agents' environment*. Agents live in and interact with their environment, in addition to other agents.

Table 1: A sample of recent agent-based applications and overviews.

Application Area:	Agent-based Model Focus:
Agriculture	A spatial individual-based model prototype for assessing potential pesticide exposure of farm-workers conducting small-scale agricultural production (Leyk, Binder, and Nuckols 2009)
Air Traffic Control	Air traffic control to analyze control policies and performance of an air traffic management facility (Conway 2006)
Archaeology / Anthropology	Trends in archaeological simulation including ABM (Madella et al. 2014) Prehistoric settlement patterns and political consolidation in the Lake Titicaca basin of Peru and Bolivia (Griffin and Stanish 2007)
Biomedical Research	<i>The Basic Immune Simulator</i> , to study the interactions between innate and adaptive immunity (Folcik, An, and Orosz 2007)
Crime Analysis	A realistic virtual urban environment, populated with virtual burglar agents (Malleon 2010)
Ecology	Investigation of the trade-off between road avoidance and salt pool spatial memory in the movement behavior of moose (Grosman et al. 2011) Predator-prey relationships between transient killer whales and other marine mammals (Mock and Testa 2007)
Economics	Using agent-based models for analyzing threats to financial stability (Bookstaber 2012)
Energy Analysis	A building occupant network energy consumption decision-making model (Chen, Taylor, and Wei 2011) Application for the Smart Grid (Jackson 2010) Energy investment decision making (Wittmann 2008) Oil refinery supply chain (Van Dam et al. 2008)
Environmental Planning and Policy	Overview of agent-based modeling for environmental planning and policy analysis (Zellner 2008)
Epidemiology / Infectious Diseases	Pandemic disease model accounting for individual behavior and demographics (Aleman, Wibisono, and Schwartz 2009) Global-scale agent model of disease transmission (Parker and Epstein 2011)
Evacuation	Tsunami evacuation using a modified form of Helbing's social-force model applied to agents (Puckett 2009)
Healthcare	A systematic assessment of use cases and requirements for enhancing pharmaceutical research and development productivity through agent-based modeling (Hunt et al. 2013)
Market Analysis / Marketing	Consumer marketing model developed with a Fortune 50 firm (North et al. 2009) Consumer airline market share (Kuhn et al. 2010) Simulation of the possibilities for a future market in sub-orbital space tourism (Charania, Olds, and DePasquale 2006) Overview of agent-based applications to marketing (Rand and Rust 2011)
Social Networks	Model of email-based social networks. Individuals establish, maintain and allow atrophy of links through contact-lists and emails (Menges, Mishra, and Narzisi 2008)
Social Psychology	Using ABM for theory building in social psychology (Smith and Conrey 2007)

A model developer must identify, model, and program these elements to create an agent-based model. A computational engine for simulating agent behaviors and agent interactions is then needed to make the model run. An agent-based modeling toolkit, programming language or other implementation provides this capability. To run an agent-based model is to have agents repeatedly execute their behaviors and interactions. This process is often but not necessarily modeled to operate over a timeline, as in time-stepped, activity-based, or discrete-event simulation.

2.2 Agents

There is not universal agreement on the precise definition of the term *agent* in the context of ABS. It is the subject of much discussion and occasional debate. The issue is more than an academic one, as it often surfaces when one makes a claim that their model is *agent-based* or when one is trying to discern whether such claims made by others are valid. There are important implications of the term *agent-based* when used to describe a model in terms of the model's capabilities or potential capabilities that could be attained through relatively minor modification. In the literature, descriptions of the term *agent* tend to agree on more points than they disagree. Some modelers consider any type of independent component, whether it be a software component or a model to be an agent (Bonabeau 2001). Some authors insist that a component's behavior must also be adaptive in order for it to be considered an agent. Casti (1997) argues that agents should contain both base-level rules for behavior as well as a higher-level set of "rules to change the rules." The base-level rules provide responses to the environment, while the rules-to-change-the-rules provide adaptation. Jennings' (2000) computer science-based view of agent emphasizes the essential agent characteristic of autonomous behavior.

For practical modeling purposes, we consider agents to have certain properties and attributes, as follows (Figure 1):

Autonomy. An agent is autonomous and self-directed. An agent can function independently in its environment and in its interactions with other agents, generally from a limited range of situations that are of interest and that arise in the model. When we refer to an agent's *behavior*, we refer to a general process that links the information the agent senses from its environment and interactions to its decisions and actions.

Modularity. Agents are modular or self-contained. An agent is an identifiable, discrete entity with a set of characteristics or attributes, behaviors, and decision-making capability. The modularity requirement implies that an agent has a boundary, and one can easily determine whether something (that is, an element of the model's state) is part of an agent or is not part of an agent, or is a characteristic shared among agents.

Sociality. An agent is social, interacting with other agents. Common agent interaction protocols include contention for space and collision avoidance, agent recognition, communication and information exchange, influence, and other domain-or application-specific mechanisms.

Conditionality. An agent has a *state* that varies over time. Just as a system has a state consisting of the collection of its state variables, an agent also has a state that represents its condition, defined by the essential variables associated with its current situation. An agent's state consists of a set or subset of its attributes and its behaviors. The state of an agent-based model is the collective states of all the agents along with the state of the environment. An agent's behaviors are conditioned on its state. As such, the richer the set of an agent's possible states, the richer the set of behaviors that an agent can have.

Agents often have additional properties, which may or may not be considered as requisite properties for agency. An agent may have explicit *goals* that drive its behavior, not necessarily objectives to maximize as much as criteria against which to assess the effectiveness of its decision and actions. An agent may have the ability to *learn and adapt* its behaviors based on its experiences. At the individual level, learning and adaptation can be modeled as agent behaviors. Individual learning and adaptation requires an agent to have memory as a dynamically updated attribute of the agent. At the population level, adaptation can be modeled by aggregate changes in individual behaviors or by allowing agents to enter

and leave the population, with the more successful agents increasing their relative numbers in the population over time.




Figure 1: A typical agent.

2.3 Agent Relationships

Agent-based modeling concerns itself with modeling agent relationships and agent interactions as much as it does with modeling agents and agent behaviors. The primary issues of modeling agent interactions are specifying who is, or could be, connected to who, and the dynamics governing the mechanisms of the interactions. For example, an agent-based model of Internet growth would include mechanisms that specify who connects to who, why, and when.

Common topologies for representing social agent interactions include: (1) *Soup*: A non-spatial model in which agents have no locational attribute, (2) *Grid or lattice*: Cellular automata represent agent interaction patterns and available local information by a grid or lattice; cells immediately surrounding an agent are its neighborhood. An agent's location is the grid cell index. (3) *Euclidean space*: Agents roam in 2D or 3D spaces. An agent's location is its relative or geospatial coordinates. (4) *Geographic Information System (GIS)*: Agents move over and interact with realistic patches of geo-spatial landscapes. An agent's location is a geographical unit (e.g., zip code) or geospatial coordinates. (5) *Networks*: Networks may be static (links pre-specified) or dynamic (links determined endogenously by relationship-creating mechanisms). An agent's location is the relative node location in the network.

No matter what agent-interaction topology is used in an agent-based model to connect the agents, the essential idea is that agents only interact at any given time with a limited number of other agents out of the population. This notion is implemented by defining a local neighborhood (possibly a network) and limiting interaction to a small number of agents that happen to be in that neighborhood. This is not to say that agents need to be located in close proximity to one another spatially to be able to interact. The network topology allows agents to be linked on the basis of relationships in addition to proximity. For example, an agent may be a member of many networks, e.g., proximity, social, familial relationship, ideological, etc.

2.4 Emergence in Agent-based Models

One of the motivations for agent-based modeling is its ability to capture *emergence*. Even simple agent-based models in which agents are completely described by simple, deterministic rules and use only local information can self-organize and sustain themselves in ways that have not been explicitly programmed into the models. Emergence can be illustrated by simple agent-based models such as *Life* and *Boids*. More complex models of the kind that people are likely to build to represent real-world phenomenon can also exhibit emergent behavior resulting from agent interactions. Agent-based modeling algorithms based on emergence have led to specialized optimization techniques, such as ant colony optimization and particle swarm optimization, that have been used to solve practical problems (Bonabeau, Dorigo, and Theraulaz 1999; Barbati, Bruno, and Genovese 2011).

3 HOW TO DO AGENT-BASED MODELING

3.1 Thinking Through an Agent Model

Agent-based model development follows the general steps of developing any model with the additions of agent-related tasks (Figure 2). It is useful to ask a series of agent-specific questions before developing an agent-based model (Table 2). The answers to these questions help define the scope and level of detail, granularity, appropriate to modeling the system. They imply the resources required for successfully completing the project and can be used to help identify likely bottlenecks to development.




Figure 2: Agent-based model development process.

3.2 Modeling Agent Systems

Identifying agents, accurately specifying their behaviors, and appropriately representing agent interactions are the keys to developing useful agent models. One begins developing an agent-based model by identifying the agent types (classes) along with their attributes. Agents are generally the decision-makers in a system, whether they be human, organizational, or automated. Once the agents are defined, agent behaviors are specified. One needs to have a theory of agent behavior as a basis for modeling agent behavior. For example, a normative model in which agents attempt to optimize a well-defined objective can be a useful starting point to eventually developing more descriptive and domain-specific behavioral

heuristics. Alternatively, one may begin with a bounded rationality model or a generic behavioral heuristic, such as anchoring and adjustment, to describe agent behavior, or a formal behavioral modeling framework such as the Belief-Desire-Intent (BDI) model (Wooldridge 2009). In addition to agents, an agent-based model consists of agent relationships. One defines the agent relationships and then adds the methods that control which agents interact, when they interact, and how they interact.

Table 2: Questions to ask before developing an agent-based model

<p>Model Purpose and Value-added of Agent-based Modeling:</p> <ul style="list-style-type: none"> What specific problem is the model being developed to address? What specific questions should the model answer? What kind of information should the model provide to help make or support a decision? Why might agent-based modeling be a desirable approach? What value-added does agent-based modeling bring to the problem that other modeling approaches cannot bring?
<p>All About Agents:</p> <ul style="list-style-type: none"> Who should be the agents in the model? Who are the decision makers in the system? What are the entities that have behaviors? Where might the data come from, especially for agent behaviors?
<p>Agent Data:</p> <ul style="list-style-type: none"> What data on agents is simply descriptive (static attributes)? What agent attributes are calculated endogenously by the model and updated for the agents (dynamic attributes)? What is the agents' environment? How do the agents interact with the environment? Is agent mobility in space an important consideration?
<p>Agent Behaviors:</p> <ul style="list-style-type: none"> What agent behaviors are of interest? What decisions do the agents make and what information is required to make such decisions? What behaviors are being acted upon? What actions are being taken by the agents? How would we represent the agent behaviors? By If-Then rules? By adaptive probabilities, such as in reinforcement learning? By explicit heuristics? By regression models or neural networks?
<p>Agent Interactions:</p> <ul style="list-style-type: none"> How do the agents interact with each other? How do the agents interact with the environment? How expansive or focused are agent interactions?
<p>Agent Recap:</p> <ul style="list-style-type: none"> How do we design a set of experiments to explore the importance of uncertain behaviors, data and parameters? How might we validate the model, especially the agent behaviors and the agent interaction mechanisms?

3.3 Describing Agent-Based Models

Several formats have been proposed for describing agent-based models. Chief among these standards is the Overview, Design Concepts, and Details (ODD) protocol. According to Grimm et al. (2010), "The primary objectives of ODD are to make model descriptions more understandable and complete, thereby making ABMs less subject to criticism for being irreproducible." ODD describes models using a three-part approach: overview, concepts, and details. The model overview includes a statement of the model's intent, a description of the main variables, and a discussion of the agent activities and timing. The design concepts include a discussion of the foundations of the model, and the details include the initial setup configuration, input value definitions, and descriptions of any embedded models (Grimm et al. 2010). Examples of using the ODD protocol include Polhill et al. (2008) and Schreinemachers and Berger (2011).

3.4 Designing Agent-Based Models

Design is a key phase in building agent-based models. Modern software practices are based on a template design approach in which recurring elements are codified and reused for new applications. For example, many agent-based toolkits take an object-oriented approach, which has proven very valuable in designing models, as well as software. See, for example, Pegden (2014). The Unified Modeling Language (UML) provides a set of tools in the form of diagrams for object-oriented software system design and representation that is independent of computer code implementation (Booch, Jacobson, and Rumbaugh 2005). North and Macal (2013) discuss helpful process and product design patterns for agent-based modeling. An agent-based modeler refers to existing design patterns to model important features of a real-world system, such as how time should be treated in a model.

3.5 Advanced Agent-Based Modeling

Often, an agent-based modeler would like to include a variety of advanced capabilities in their model. These capabilities include distributed computing implementations, artificial intelligence and machine learning algorithms, geographical information systems (GIS), connections to relational databases, version control systems (especially if there are multiple developers working on a project), and integrated development environments (IDEs). It is often useful to first develop a core model that includes these capabilities as connections or “stubs” to ensure the core model design is acceptable and to verify that scaling up the design appears feasible. Agent-based modeling and software toolkits usually provide such advanced capabilities.

3.6 ABS Software and Toolkits

Agent-based modeling can be done using general, all-purpose software or programming languages, or can be done using specially designed software and toolkits that address the specific requirements for modeling agents. Agent modeling can be done in the small, on the desktop, or in the large, using large-scale computing clusters, or it can be done at any scale in-between. Projects often begin small, using one of the desktop ABS tools, or whatever tool or programming language the developers are familiar with. The initial prototype then grows in stages into a larger-scale agent-based model, often using dedicated ABS toolkits. Often one begins developing their first agent model using the approach that one is most familiar with, or the approach that one finds easiest to learn given their background and experience.

We distinguish several approaches to building ABS applications in terms of the scale of the software that one can apply according to the following continuum:

Desktop Computing for ABS Application Development:

- Spreadsheets: Excel using the macro programming language VBA
- Dedicated Agent-based Prototyping Environments: NetLogo, Repast Simphony
- General Computational Mathematics Systems: MATLAB, *Mathematica*

Large-Scale (Scalable) Agent Development Environments: Repast, Swarm, MASON, AnyLogic, Simio

General (Object-Oriented) Programming Languages: Java, C++, Python

Desktop ABS can be used to learn agent modeling, prototype basic agent behaviors, and perform limited analyses. Desktop agent-based models can be simple, designed and developed independently in a period of a few days by a single computer-literate modeler using tools learned in a few days or weeks. Desktop agent modeling can be used to explore the potential of ABS with relatively minor time and training investments, especially if one is already familiar with the tool.

Spreadsheets, such as Microsoft Excel, are in many ways the simplest approach to modeling. It is easier to develop models with spreadsheets than with many of the other tools, but the resulting models generally allow limited agent diversity, restrict agent behaviors, and have poor scalability compared to the

other approaches designed specifically for agent modeling. Agent-based modeling in spreadsheets requires some macro-programming to be done in a language such as VBA (Visual Basic for Applications), the macro programming language for Excel and other Microsoft Office applications. Complex agent models have been developed entirely using spreadsheets. In previous WSC papers, we described a spreadsheet implementation of a spatial agent-based shopper model (Macal and North 2007).

General-purpose desktop computational mathematics systems (CMS) with integrated development environments (IDEs), such as MATLAB and *Mathematica*, can be used to develop agent models, although the agent-specific functionality has to be written by the developer from scratch, as there are no dedicated libraries or modules that focus on agent-based modeling. The basic requirement is knowledge of how to program in a scripting language. CMS environments have rich mathematical functions and in some cases, the tools even support symbolic processing and manipulation. If a CMS environment is already familiar to a developer, this can be a good place to start agent-based modeling (Macal 2004).

Swarm was the first ABS software development environment, launched in 1994 at the Santa Fe Institute. Swarm was originally written in Objective C and was later fitted with a Java interface. Special-purpose agent tools, such as NetLogo, provide facilities for agent modeling (Wilensky 2014). The most directly visible common trait shared by the various prototyping environments is that they are designed to get first-time users started as quickly as possible. NetLogo uses a modified version of the Logo programming language (Harvey 1997) and was originally developed to support ABS education at all levels, but it can be used to develop a wide range of applications. Following the original Swarm innovation, the Repast (REcursive Porous Agent Simulation Toolkit) toolkit was developed as a pure Java implementation (North, Collier, and Vos 2006), and Repast Symphony (Repast S) is the latest version of Repast, designed to provide visual point-and-click tools for agent model design, agent behavior specification, model execution, and results examination. Repast Symphony 2.0 also includes ReLogo, a new Logo-like interface for specifying agent models (Ozik et al. 2013). Reviews of Java-based agent modeling toolkits are provided by Tobias and Hoffman (2004) and Nikolai and Madey (2009).

Scalable ABS software environments are now freely available and/or open source. These include Repast (North, Collier and Vos, 2006; North et al. 2013), Swarm (Minar et al. 1996), NetLogo (Wilensky 2014) and MASON (GMU 2014) among others.

AnyLogic (XJ Technologies 2014, Borshchev 2013) and Simio (Simio 2014, Pegden 2014) are leading commercial simulation environments that include agent-based modeling capabilities. AnyLogic features “multimethod” modeling, i.e., has the capabilities to structure models that combine all three simulation paradigms: agent-based, system dynamics, and discrete event. Simio is a simulation modeling framework based on “intelligent objects” and supports a seamless use of multiple modeling paradigms including event, process, object, and agent-based modeling.

As computational capabilities continue to advance in both hardware and software, new capabilities are continuously being incorporated into the latest versions of ABS toolkits. The field is advancing rapidly toward highly scalable, high productivity agent development environments that are easy to learn and use.

4 HOW TO GET STARTED WITH AGENT-BASED MODELING

Many people ask how to get started with agent-based modeling. A good background in simulation modeling in the traditional fields of discrete-event simulation, Monte Carlo simulation, or even system dynamics is an excellent prerequisite but is not essential, as the field of agent-based modeling was not originally founded on these fields or the software that supports them. Some universities offer courses on agent-based modeling, but not very many at this time. There is not even a generally agreed upon agent-based modeling curriculum for the modeling and simulation community, but Macal and North (2013) attempt to get that discussion rolling through their experiences with workshops and tutorials such as this one. Many people have found success at becoming agent-based modelers, including the authors, by independently following a path such as this:

1. Read about introductory agent-based modeling,
2. Review some good, simple applications in the literature,
3. Download, play with, and inspect some available pre-built ABS demonstration models,
4. Attend conferences devoted to agent-based modeling or that have significant focus on ABS,
5. Define a problem meaningful to you to address with agent-based modeling (see Table 2), and
6. Develop some simple agent-based models (prototypes) in available ABS toolkits.

Going through these steps positions one to start thinking about how to develop larger-scale and serious agent-based models. The most important point to make is that *there is no substitute for learning about agent-based modeling than to get one's hands dirty and actually build an agent-based model*. This is true even if the ultimate goal is not to become a full-time agent-based modeler. Steps 5 and 6 were discussed in the previous section. Steps 1-4 are discussed below.

A background in computer programming is very helpful but not absolutely essential to get started with agent-based modeling, as ABS environments may offer high-level languages that are relatively easy to learn (e.g., NetLogo, ReLogo, et al.) or visual environments that simplify ABS specification (e.g., AnyLogic, Repast Symphony, et al.). However, developing an ABS with advanced capabilities (GIS, database connectivity, etc.) often requires programming, typically in Java or another object-oriented language such as C++. There is a natural relationship between ABS and object-oriented programming, as agents may be regarded as objects with behaviors, i.e., intelligent objects (Macal and North 2007).

A single comprehensive source for reading all about ABM does not exist. Good introductions to ABM include the web sites by Axelrod and Tesfatsion (2014), the ACE web site also by Tesfatsion (2014), and the new web site by Railsback and Grimm (2013). The book by Epstein and Axtell (1996) is often regarded as launching the field of social agent simulation in a sustained way. It includes simple, but elegant, models of various social processes that are still being elaborated upon. The early paper by Bonabeau (2001) remains as one of the most cited and readable papers on the motivations for ABS. The book by Gilbert and Troitzsch (2005) is widely read and provides a highly readable overview of the field including how to construct simple ABS. Our book (North and Macal 2007) is designed to provide a broad non-technical introduction to ABS in terms of how to think about and do ABS as well as providing terminology and language for becoming conversant in agent-based modeling.

There are several recurring issues that are often raised by newcomers to ABS including how agents handle resource contention and allocation, how time is taken into account, etc. There are common approaches in ABS to address these (Macal 2013) and other issues that are beyond introductory ABS. The SIMSOC Archive (<https://www.jiscmail.ac.uk/cgi-bin/webadmin?A0=simsoc>) and SIMSOC listserv are good places for information on various introductory and advanced ABS topics.

Good ABM applications are scattered throughout the literature across many disciplines. There is no single publication source for ABM applications, but the online *Journal of Artificial Societies and Social Simulation* (JASSS) has provided a consistent outlet for agent-based models for many years (<http://jasss.soc.surrey.ac.uk/JASSS.html>).

Disciplines often produce their own overview publications on agent-based modeling specific to their discipline. These can serve as valuable resources for understanding the value of using ABM in a discipline and include key references for the domain. For example, disciplinary ABM overview and survey papers include: marketing (Rand and Rust 2011), economics (Cristelli, Pietonero, and Zaccaria 2011), financial economics (LeBaron 2005), transportation (Bernhardt 2013), electric power markets (Weidlich and Veit 2008), geographical information systems (GIS) (Brown et al. 2005), and many other areas. Simple Google searches on “agent based model” or “multi agent system model” yield many application papers.

It can be very useful to visit the web sites for the ABM toolkits and download the software (NetLogo or Repast, for example) or trial versions (AnyLogic, for example). Demonstration examples are provided that give a good idea of how agent-based models are constructed and of the software's capabilities.

Several conferences have a focus on agent-based modeling or tracks devoted to ABS. The annual Winter Simulation Conference tends to have a full track of proceedings papers devoted to agent-based simulation and applications. Our estimates are that about 20% of the papers in WSC are on agent-based simulation. The annual MABS (Multi-Agent-Based Simulation) workshop, which is part of IAAMAS (International Conference on Autonomous Agents and Multi-Agent Systems), focuses on agent-based modeling “from the standpoint of the multiagent systems community of engineering and the social/economic/organizational sciences” (<https://sites.google.com/site/mabsworkshop/>). The annual Computational Social Science Society of the Americas (CSSSA) conference, formerly NAACSOS, focuses on “Computational Social Science (CSS), a scientific discipline where computational methods and simulation models of social dynamics are employed to offer new insights into social phenomena beyond what is available with traditional social science methods” (<http://computationsocialscience.org/csssa2013>). SwarmFest (www.swarmfest2014.org) is a conference devoted to agent-based modeling and simulation. Other conferences such as the annual INFORMS meeting (<https://www.informs.org/>) and the annual MORSS (Military Operations Research Society Symposium, <http://www.mors.org/>) often have significant numbers of presentations involving agent-based models, and these number have steadily grown over the past 10 years.

5 WHY AND WHEN ABS

We conclude by offering some ideas on the situations for which agent-based modeling can offer distinct advantages to conventional simulation approaches such as discrete event simulation (Law 2007), system dynamics (Sterman 2000) and other quantitative modeling techniques. Axtell (2000) discusses several reasons for agent-based modeling especially compared to traditional approaches to modeling economic systems. When is it beneficial to think in terms of agents? When any of the following criteria are satisfied:

- When the problem has a natural representation as being comprised of agents
- When there are decisions and behaviors that can be well-defined
- When it is important that agents have behaviors that reflect how individuals actually behave (if known)
- When it is important that agents adapt and change their behaviors
- When it is important that agents learn and engage in dynamic strategic interactions
- When it is important that agents have dynamic relationships with other agents, and agent relationships form, change, and decay
- When it is important to model the processes by which agents form organizations, and adaptation and learning are important at the organization level
- When it is important that agents have a spatial component to their behaviors and interactions
- When the structure of the system does not depend entirely on the past, and new dynamic mechanisms may be invoked or emerge that govern how the system will evolve in the future.
- When arbitrarily large numbers of agents, agent interactions and agent states is important
- When process structural change needs to be an endogenous result of the model, rather than an input to the model

ACKNOWLEDGMENTS

This work was supported by the U.S. Department of Energy under contract number DE-AC02-06CH11357. Portions of this tutorial have appeared in previous tutorial papers presented at the Winter Simulation Conference for 2005 – 2009, 2011 and 2013.

REFERENCES

- Aleman, D., T. Wibisono, and B. Schwartz. 2009. "Accounting for Individual Behavior and Demographics in Pandemic Disease Modeling." *Proceedings of the 2009 Winter Simulation Conference*, edited by M. D. Rossetti, R. R. Hill, B. Johansson, A. Dunkin and R. G. Ingalls, 86-98. Piscataway, New Jersey: Institute of Electrical and Electronics Engineers, Inc.
- Axelrod, R., and L. Tesfatsion. 2014. "On-Line Guide for Newcomers to Agent-Based Modeling in the Social Sciences," www.econ.iastate.edu/tesfatsi/abmread.htm [Accessed July 29, 2014].
- Axtell, R. 2000. *Why Agents? On The Varied Motivations for Agent Computing in the Social Sciences*, Working Paper 17, Center on Social and Economic Dynamics, Brookings Institution.
- Barbati, M., G. Bruno, and A. Genovese. 2011. "Applications of agent-based models for optimization problems: a literature review." *Expert Systems with Applications* 39(5):6020-6028.
- Bernhardt, K. L. S. 2013. "Agent-Based Modeling in Transportation." In *Transportation Research Circular E-C113: Artificial Intelligence in Transportation*, 72-80. Transportation Research Board.
- Bonabeau, E. 2001. "Agent-Based Modeling: Methods and Techniques for Simulating Human Systems." *Proceedings of the National Academy of Sciences* 99(3): 7280-7287.
- Bonabeau, E., M. Dorigo, and G. Theraulaz. 1999. *Swarm Intelligence: From Natural To Artificial Systems*. Oxford: Oxford University Press.
- Booch, G., I. Jacobson, and J. Rumbaugh. 2005. *The Unified Modeling Language User Guide*, 2nd ed. Addison-Wesley.
- Bookstaber, Richard. 2012. *Using Agent-Based Models for Analyzing Threats to Financial Stability*, U.S. Dept. Treasury. Office of Financial Research. Working Paper #0003 (December 21, 2012). Available at www.treasury.gov/ofr.
- Borshchev, Andrei. 2013. *The Big Book of Simulation Modeling: Multimethod Modeling with AnyLogic 6*. AnyLogic North America.
- Brown, D. G., R. Riolo, D. T. Robinson, M. North, and W. Rand. 2005. "Spatial processes and data models: Toward integration of agent-based models and GIS." *Journal of Geographical Systems* 7(1): 25-47.
- Casti, J. 1997. *Would-Be Worlds: How Simulation Is Changing the World of Science*. New York: Wiley.
- Charania, A. C., J. R. Olds, and D. DePasquale. 2006. *Sub-Orbital Space Tourism Market: Predictions of the Future Marketplace Using Agent-Based Modeling*. SpaceWorks Engineering, Inc., Atlanta, GA.
- Chen, J., J. E. Taylor, and H.-H. Wei. 2011. "Modeling Building Occupant Network Energy Consumption Decision-making: The Interplay Between Network Structure and Conservation." *Energy and Buildings* 47:515-524.
- Conway, S. R. 2006. "An Agent-Based Model for Analyzing Control Policies and the Dynamic Service-Time Performance of a Capacity-Constrained Air Traffic Management Facility." In *Proceedings of the 25th Congress of the International Council of the Aeronautical Sciences*, Paper 564.
- Cristelli, M., L. Pietonero, and A. Zaccaria. 2011. "Critical Overview of Agent-Based Models for Economics." <http://arxiv.org/pdf/1101.1847.pdf> [Accessed July 29, 2014].
- Epstein, J. M., and R. Axtell. 1996. *Growing Artificial Societies: Social Science From The Bottom Up*. Cambridge, MA: MIT Press.
- Folcik, V. A., G. C. An, and C. G. Orosz. 2007. "The Basic Immune Simulator: An Agent-Based Model to Study the Interactions between Innate and Adaptive Immunity." *Theoretical Biology and Medical Modelling* 4(39).
- Gilbert, N., and K. Troitzsch. 2005. *Simulation for the Social Scientist*. McGraw-Hill. 2nd ed.
- GMU (George Mason University). 2014. MASON Home Page. <http://cs.gmu.edu/~eclab/projects/mason/> [Accessed July 29, 2014].

- Griffin, A. F., and C. Stanish. 2007. "An Agent-Based Model of Prehistoric Settlement Patterns and Political Consolidation in the Lake Titicaca Basin of Peru and Bolivia, Structure and Dynamics." *Structure and Dynamics: eJournal of Anthropological and Related Sciences*, 2(2), Article 2.
- Grimm, V., U. Berger, D. L. DeAngelis, J. G. Polhill, J. Giske, and S. F. Railsback. 2010. "The ODD protocol: a review and first update." *Ecological Modelling* 221(23): 2760-2768.
- Grosman, P. D., J. A. G. Jaeger, P. M. Biron, C. Dussault, and J.-P. Ouellet. 2011. "Trade-off Between Road Avoidance and Attraction by Roadside Salt Pools in Moose: An Agent-Based Model to Assess Measures for Reducing Moose-Vehicle Collisions." *Ecological Modelling* 222(8):1423-1435.
- Harvey, B. 1997. *Computer Science Logo Style*. Boston: MIT Press.
- Heath, B. L., R. R. Hill, and F. Ciarallo. 2009. "A Survey Of Agent-Based Modeling Practices (January 1998 to July 2008)." *Journal of Artificial Societies and Social Simulation* 12(4), Article 9.
- Heath, B. L., and R. R. Hill. 2010. "Some insights into the emergence of agent-based modeling." *Journal of Simulation* 4(3):163-169.
- Hunt, C. A., R. C. Kennedy, S. H. J. Kim, and G. E. P. Ropella. 2013. Agent-based modeling: a systematic assessment of use cases and requirements for enhancing pharmaceutical research and development productivity. *WIREs Syst Biol Med*. 5:461-480. doi: 10.1002/wsbm.1222.
- Jackson, J. 2010 "Improving energy efficiency and smart grid program analysis with agent-based end-use forecasting models." *Energy Policy* 38(7): 3771-3780.
- Jennings, N. R. 2000. "On Agent-Based Software Engineering." *Artificial Intelligence* 117(2):277-296.
- Kuhn Jr, J. R., J. F. Courtney, B. Morris, and E. R. Tatara. 2010. "Agent-Based Analysis and Simulation of the Consumer Airline Market Share for Frontier Airlines." *Knowledge-Based Systems* 23(8): 875-882.
- Law, A. M. 2007. *Simulation Modeling and Analysis*. 4th ed. New York: McGraw-Hill.
- LeBaron, B. 2005. *Agent-based Computational Finance*. In *Handbook of Computational Economics*, edited by K. Schmedders and K. L. Judd, 2:1187-1233. Elsevier.
- Leyk, S., C. R. Binder, and J. R. Nuckols. 2009. "Spatial Modeling of Personalized Exposure Dynamics: The Case of Pesticide Use in Small-Scale Agricultural Production Landscapes of the Developing World." *International Journal of Health Geographics*, 8:17. doi:10.1186/1476-072X-8-17.
- Macal, C. M. 2004. "Agent-Based Modeling and Social Simulation with *Mathematica* and MATLAB." In *Proceedings of the Agent 2004 Conference on Social Dynamics: Interaction, Reflexivity and Emergence*, edited by C. Macal, C., D. Sallach, and M. North, 185-204.
- Macal, C. M. 2009. "Agent Based Modeling and Artificial Life." In *Encyclopedia of Complexity and Systems Science*, edited by R. Meyers, 112-131. Springer.
- Macal, C. 2013. SimSoc Newsgroup post February 25, 2013: "Re: Execution algorithm for agent-based simulation". Available at <https://www.jiscmail.ac.uk/cgi-bin/webadmin?A2=simsoc;d0153e87.1302>. [Accessed July 14, 2014].
- Macal, C., and M. North. 2005. "Tutorial on Agent-based Modeling and Simulation" *Proceedings of the 2005 Winter Simulation Conference*, edited by M. E. Kuhl, N. M. Steiger, F. B. Armstrong, and J. A. Joines, 2-15. Piscataway, New Jersey: Institute of Electrical and Electronics Engineers, Inc.
- Macal, C. M., and M. J. North. 2007. "Agent-based Modeling and Simulation: Desktop ABMS." In *Proceedings of the 2007 Winter Simulation Conference*, edited by S. G. Henderson, B. Biller, M.-H. Hsieh, J. Shortle, J. D. Tew, and R. R. Barton, 95-106. Piscataway, New Jersey: Institute of Electrical and Electronics Engineers, Inc.
- Macal C. M. and M. J. North. 2010. "Tutorial on Agent-Based Modeling and Simulation." *Journal of Simulation* 4(3):151-162.
- Macal, C. M., and M. J. North. 2013. "Successful approaches for teaching agent-based simulation." *Journal of Simulation* 7(1): 1-11.

- Macal, C. M., M. J. North, and D.A. Samuelson. 2013. "Agent-based Simulation." In *Encyclopedia of Operations Research and Management Science*, 3rd ed., edited by S. I. Gass and M. C. Fu, 8-16. Springer.
- Madella, M., B. Rondelli, C. Lancelotti, A. Balbo, D. Zurro, X. R. Campillo, and S. Stride. 2014. "Introduction to Simulating the Past." *Journal of Archaeological Method and Theory* 21(2):251-257.
- Malleson, N. 2010. "Agent-Based Modelling of Burglary." PhD Thesis, School of Geography, University of Leeds. http://www.academia.edu/353535/Agent-Based_Modelling_of_Burglary. [Accessed July 29, 2014].
- Menges, F., B. Mishra, and G. Narzisi. 2008. "Modeling And Simulation of E-Mail Social Networks: A New Stochastic Agent-Based Approach." In *Proceedings of the 2008 Winter Simulation Conference*, edited by S. J. Mason, R. R. Hill, L. Mönch, O. Rose, T. Jefferson, and J. W. Fowler, 2792-2800. Piscataway, New Jersey: Institute of Electrical and Electronics Engineers, Inc.
- Minar, N., R. Burkhart, C. Langton, and M. Askenazi. 1996. "The Swarm Simulation System, A Toolkit for Building Multi-Agent Simulations." Working Paper 96-06-042, Santa Fe Institute, Santa Fe, NM.
- Mock, K. J., and J. W. Testa, 2007. "An Agent-Based Model of Predator-Prey Relationships between Transient Killer Whales and Other Marine Mammals." Final Report, University of Alaska Anchorage, Anchorage, AK, May 31, 2007. www.math.uaa.alaska.edu/~orca/ [Accessed July 1, 2013].
- Nikolai, C., and G. Madey. 2009. "Tools of the Trade: A Survey of Various Agent Based Modeling Platforms." *Journal of Artificial Societies and Social Simulation* 12(2):Article 2.
- North, M. J., and C. M. Macal. 2007. *Managing Business Complexity: Discovering Strategic Solutions with Agent-Based Modeling and Simulation*. Oxford: Oxford University Press.
- North, M. J., and C. M. Macal. 2013. "Product and process patterns for agent-based modelling and simulation." *Journal of Simulation*. 8:25-36.
- North, M., N. Collier, and J. Vos. 2006. "Experiences in Creating Three Implementations of the Repast Agent Modeling Toolkit." *ACM Transactions on Modeling and Computer Simulation* 16(1):1-25.
- North, M. J., N. T. Collier, J. Ozik, E. R. Tatara, C. M. Macal, M. J. Bragen, and P. J. Sydelko. 2013. "Complex adaptive systems modeling with Repast Symphony" *Complex Adaptive Systems Modeling* 1(3). <http://www.casmodeling.com/content/1/1/3>.
- North, M., C. Macal, J. St. Aubin, P. Thimmapuram, M. Bragen, J. Hahn, J. Karr, N. Brigham, M. Lacy, and D. Hampton. 2009. "Multi-scale Agent-based Consumer Market Modeling." *Complexity* 15(5): 37-47.
- Ozik, J., N. T. Collier, J. T. Murphy, and M. J. North. 2013. "The ReLogo Agent-based Modeling Language." In *Proceedings of the 2013 Winter Simulation Conference*, edited by R. Pasupathy, S.-H. Kim, A. Tolk, R. Hill, and M. E. Kuhl, 1560-1568. Piscataway, New Jersey: Institute of Electrical and Electronics Engineers, Inc.
- Parker J., and J. Epstein. 2011. "A Distributed Platform for Global-scale Agent-based Models of Disease Transmission." *ACM Transactions on Modeling and Computer Simulation* 22(1):Article 2.
- Pegden, C. D. 2014. "Intelligent Objects: The Future of Simulation." Available at http://www.simio.com/resources/white-papers/Intelligent-objects/Intelligent_Objects_The_Future_of_Simulation.pdf [Accessed July 14, 2014].
- Polhill, J. G., D. Parker, D. Brown, and V. Grimm. 2008. "Using the ODD protocol for describing three agent-based social simulation models of land-use change." *Journal of Artificial Societies and Social Simulation* 11(2):Article 3.
- Puckett, R. R. 2009. "Multi-Agent Crowd Behavior Simulation for Tsunami Evacuation." Masters Thesis, Department of Information and Computer Sciences, University of Hawaii.
- Railsback, S. F. and V. Grimm. 2013. *Agent-based and Individual-based Modeling: A Practical Introduction*. Princeton University Press.
- Rand, W. M., and R. T. Rust. 2011. "Agent-Based Modeling in Marketing: Guidelines for Rigor." *International Journal of Research in Marketing* 28(3): 181-193.

- Schreinemachers, P., and T. Berger. 2011. "An agent-based simulation model of human–environment interactions in agricultural systems." *Environmental Modelling & Software* 26: 845-859.
- Simio. 2014. "Simio Home Page." www.simio.com [Accessed July 14, 2014].
- Smith, E. R. and F. R. Conrey. 2007. "Agent-Based Modeling: A New Approach for Theory Building in Social Psychology." *Personality and Social Psychology Review* 11(1): 87-104.
- Sterman, J. D. 2000. *Business Dynamics: Systems Thinking and Modeling for a Complex World*. Boston: Irwin McGraw-Hill.
- Tesfatsion, L. 2014. "ACE web site: Agent-Based Computational Economics: Growing Economies From The Bottom Up." www.econ.iastate.edu/tesfatsi/ace.htm. [Accessed July 29, 2014].
- Tobias, R., and C. Hofmann. 2004. "Evaluation of Free Java-Libraries for Social-Scientific Agent Based Simulation." *Journal of Artificial Societies and Social Simulation* 7(1):Article 6.
- Van Dam, K. H., A. Adhitya, R. Srinivasan and Z. Lukszo. 2008. "Benchmarking numerical and agent-based models of an oil refinery supply chain." *Computer-Aided Chemical Engineering* 25:623-628.
- Weidlich, A., and D. Veit. 2008. "A critical survey of agent-based wholesale electricity market models." *Energy Economics* 30(4): 1728-1759.
- Wilensky, U. 2014. "Netlogo." Center for Connected Learning and Computer-Based Modeling, Northwestern U.: Evanston, IL USA. <http://ccl.northwestern.edu/netlogo/>. [Accessed July 29, 2014].
- Wittmann, T. 2008. *Agent-based models of energy investment decisions*. Heidelberg: Physica-Verlag.
- Wooldridge, M. 2009. *An Introduction to MultiAgent Systems*. 2nd ed. John Wiley.
- XJ Technologies. 2014. "AnyLogic Home Page." <http://www.xjtek.com/>. [Accessed July 14, 2014].
- Zellner, M. L. 2008. "Embracing Complexity and Uncertainty: The Potential of Agent-Based Modeling for Environmental Planning and Policy." *Planning Theory & Practice* 9(4): 437-457.

AUTHOR BIOGRAPHIES

CHARLES M. MACAL, PhD, PE, is the Director, Center for Complex Adaptive Agent Systems Simulation (CAS²), Argonne National Laboratory. He is a member of the INFORMS-Simulation Society, Association for Computing Machinery, the Society for Computer Simulation International, and the Systems Dynamics Society. He is on the editorial boards of the journals *Transactions on Modeling and Computer Simulation*, *Simulation*, and *Complex Adaptive Systems Modeling*. Charles has a Ph.D. in Industrial Engineering & Management Sciences from Northwestern and a Master's Degree in Industrial Engineering from Purdue. Contact: macal@anl.gov. He is a registered professional engineer in the State of Illinois.

MICHAEL J. NORTH is the Deputy Director of CAS² at Argonne. Michael has over 15 years of experience developing advanced modeling and simulation applications for the federal government, international agencies, private industry, and academia. Michael has a Ph.D. in Computer Science from the Illinois Institute of Technology. Contact: north@anl.gov.